

APIACEAE (CARROT FAMILY)

Floral formula:	
Aromatic herbs with hollow, furrowed stems, compound leaves with sheathing leaf bases, 5-merous often white or yellow flowers in compound umbels, and fruit a schizocarp.	
1. Four common edible members of the Apiaceae (not including those below) are	
a) plants eaten in substantial amounts and	;
b) plants used mainly as spices: and	_•
2. What is the special relationship between Socrates and the Apiaceae, and name the plant that had such strong influence on him.	ıa
ASTERACEAE (ASTER, SUNFLOWER OR COMPOSITE FAMILY)	
Floral formula:	
Herbs and shrubs with involucrate heads of small, 5-merous, sympetalous flowers. The calyx is represented by a pappus, a series of bristles, hairs or scales. Stamens 5, united by their anthers. Gynoecium bicarpellate, inferior, producing a single achene at maturity.	
1) What was chicory used for during World War II?	
2). State two medicinal uses of Yarrow, one of which is a legendary instance of its use.	



BRASSICACEAE (MUSTARD FAMILY)

Floral formula:	
Herbs with an acrid taste; flowers of 4 sept	als, 4 petals, 6 stamens (4+2), and a silique or silicle.
1. The original family name for the Brassica	aceae, and what it signified are:
name:	_ significance:
•	amily, widely cultivated, particularly in cooler climates are:
	67 KC TATO CO. (1
	D
FABACEAE (PE	EA, BEAN OR LEGUME FAMILY)
Floral formula:	
Herbs, shrubs, vines and trees with alternative zygomorphic, 5-merous, unicarpellate; fru	tte, stipulate, compound leaves. Flowers [actinomorphic or] it a legume or loment.
1) A special feature of the roots of many leg	gumes, of benefit to soil fertility is:
2) Three common foods from this extremely	y important family (rivalling Poaceae in world economy):
,	, and



LAMIACEAE (MINT FAMILY)

Floral formula:			
Herbs and shrubs with square stems, opposite leaves, a "minty" aroma, and 5-merous zygomorphic flowers with 2 or 4 stamens, and a deeply 4-lobed ovary with a gynobasic style; fruit 4 nutlets.			
1) Four common spices or herbs from the Lamiaceae. (Old Simon and Garfunkel song "Scarborough Fair" may help for 3 of them.)			
2) Hearth and is used for			
2) Horehound is used for			
(mostly former) LILIACEAE (LILY FAMILY)* (* actually several showy monocot families formerly grouped together in one family)			
Floral formula:			
Perennial herbs from bulbs, rhizomes or corms. Leaves linear, sometimes sword-shaped and fibrous. Flowers with a conspicuous 6-parted petaloid perianth, 6 (3) stamens and a superior or inferior tricarpellate ovary. Fruit a capsule or berry.			
1) Name 3 food, spice or flavoring plants from the Liliaceae.			
2) Explain how colchicine (derived from meadow saffron) is used to produce larger plants.			



RANUNCULACEAE (BUTTERCUP FAMILY)

Floral formula:		_
	d leaves, sheathing leaf bases. Flowers w hic, but zygomorphic in Delphinium and	
1) Three well-known	ornamental members of the Ranunculacea	e are:
	,	, and
,	anunculaceae that has become extremely a ue. The plant, the part of the plant employ	•
The plant:	The part:	
Ailment 1:	Ailment 2:	
El 16 1	ROSACEAE (ROSE FAM	,
•	bs, & trees with 5-merous flowers, a hypa	•
-	act of the ROSACEAE is enormous becau	
Fruit type 1	; examples:	&
Fruit type 1	; examples:	&
Fruit type 1	; examples:	&
2) The fruits of wild	roses have a special name, and a beneficia	I substance that helped native Americans.
Fruit:	; substance	; benefit: .